





illumina la fantasia

PROFILO

Il marchio ledydel è stato creato, dopo un'esperienza trentennale nel campo dell'elettronica, per essere un punto di riferimento per l'illuminazione civile ed industriale. Che siano artistiche o di design, minimali o sfarzose, ledydel è in grado di proporre soluzioni per tutte le esigenze.

LA NOSTRA MISSIONE

Grazie all'esperienza maturata, siamo in grado di ideare e progettare dispositivi luminosi e accessori in grado di rispondere alle esigenze del mercato.

I progetti sviluppati in Italia vengono poi realizzati nella nostra azienda in Cina (Dongguan). Il nostro ufficio di Shenzhen,invece, ha il compito di effettuare il controllo della produzione e della ricerca di nuove tecnologie.

LA NOSTRA PRODUZIONE

Progettata in Italia e prodotta sotto stretto controllo di personale qualificato, permette di soddisfare mercati di alto livello, garantendo un accurato servizio pre e post vendita. In Italia, presso la nostra sede, è attivo un attrezzato laboratorio, in grado di fornire assistenza repentina e qualificata nonché di realizzare prototipi di pre-produzione, e soddisfare le particolari esigenze di progettisti e designer.

LA NOSTRA VISIONE

ledydel punta a diventare il partner ideale per qualsiasi progetto luminoso a LED; avendo cura di affidare la distribuzione dei propri prodotti a personale debitamente formato, in grado di indirizzare i clienti verso un migliore utilizzo delle fonti luminose ottimizzando i consumi e limitando gli sprechi.

PROFILE

The ledydel brand was created, after thirty years of experience in the field of electronics, to be a reference point for civil and industrial lighting.

Whether artistic or design, minimal or opulent, ledydel is able to offer solutions for all needs.

OUR MISSION

Thanks to our experience, we are able to **design and engineer** lighting devices and accessories able to meet the needs of the market. The projects developed in Italy are then realized in our company in China (Dongguan). Our office in Shenzhen, on the other hand, has the task of production control and research of new technologies.

OUR PRODUCTION

Designed in Italy and produced under strict control by qualified personnel, it allows to satisfy high-level markets, guaranteeing an accurate pre and post sales service.

In Italy, at our headquarters, there is a well-equipped laboratory, able to provide sudden and qualified assistance as well as to create pre-production prototypes, and to meet the particular needs of engineers and designers.

OUR VISION

ledydel aims to become the ideal partner for any LED lighting project; taking care to entrust the distribution of its products to suitably trained personnel, able to direct customers towards a better use of light sources, **optimizing consumption and limiting waste**.

il nostro intento: la vostra soddisfazione.


our intent: your satisfaction

diamo luce alle tue passioni



ALP001-R






PMMA Opal Matte Cover PMMA Semi-Clear Cover PMMA Clear Cover PC Diffused Cover

Max Power Dissipation 15 Watt/mt

ALP002-R





0.67"(17.1mm)

PMMA Opal Matte Cover PMMA Semi-Clear Cover PMMA Clear Cover PC Diffused Cover


Max Power Dissipation 15 Watt/mt

ALP002-RL









PMMA Opal Matte Cover PMMA Semi-Clear Cover PMMA Clear Cover 60° lens

Max Power Dissipation 15 Watt/mt

ALP004-RL








0.67"(17.1mm)

PMMA Opal Matte Cover PMMA Semi-Clear Cover PMMA Clear Cover 30° Lens










0.67"(17.1mm)

PMMA Opal Matte Cover PMMA Semi-Clear Cover PMMA Clear Cover PC Diffused Cover

Max Power Dissipation 25 Watt/mt

ALP004-R






PMMA Opal Matte Cover PMMA Semi-Clear Cover PMMA Clear Cover PC Diffused Cover

Max Power Dissipation 25 Watt/mt

ALP005





PMMA Opal Matte Cover PMMA Semi-Clear Cover

Max Power Dissipation 15 Watt/mt

ALP006








PMMA Opal Matte Cover PMMA Semi-Clear Cover PC Diffused Cover



ALP007-R





PMMA Opal Matte Cover PMMA Semi-Clear Cover PMMA Clear Cover PC Diffused Cover

Max Power Dissipation 25 Watt/mt

ALP008






PMMA Opal Matte Cover PMMA Semi-Clear Cover

Max Power Dissipation 25 Watt/mt

ALP010






PMMA Opal Matte Cover PMMA Semi-Clear Cover

Max Power Dissipation 25 Watt/mt


ALP011





PMMA Opal Matte Cover PMMA Semi-Clear Cover






ALP015-R

PMMA Opal Matte Cover PMMA Semi-Clear Cover



ALP016-R






PMMA Opal Matte Cover PMMA Semi-Clear Cover PC Diffused Cover

Max Power Dissipation 46 Watt/mt

ALP021






PMMA Opal Matte Cover PMMA Semi-Clear Cover PMMA Clear Cover PC Diffused Cover

Max Power Dissipation 25 Watt/mt

ALP023-R2






PC Frosted Cover

Max Power Dissipation 25 Watt/mt

ALP024-R





PMMA Opal Matte Cover PMMA Semi-Clear Cover PMMA Clear Cover PC Diffused Cover





0.28"(7mm)








ALP032 PMMA Opal Matte Cover PMMA Semi-Clear Cover PC Diffused Cover Max Power Dissipation 25 Watt/mt **ALP033** 100 PC Diffused Cover Max Power Dissipation 25 Watt/mt 0.48"(12.2mm) 0.84"(21.4mm) ALP034 PC Diffused Cover Max Power Dissipation 25 Watt/mt **ALP043**



PMMA Opal Matte Cover PMMA Semi-Clear Cover PMMA Clear Cover PC Diffused Cover


















PC Diffused Cover

Max Power Dissipation 50 Watt/mt

ALP047-R1






PC Diffused Cover

Max Power Dissipation 50 Watt/mt

ALP048-R1






PC Diffused Cover

Max Power Dissipation 50 Watt/mt


ALP044-PC-R





PC Diffused Cover












ALP054 2.43"(61.75mm) PC Diffused Cover Max Power Dissipation 46 Watt/mt 1.38"(35mm) **ALP065** PMMA Opal Matte Cover PMMA Semi-Clear Cover PC Diffused Cover Max Power Dissipation 30 Watt/mt **ALP065-T** 2.95"(75mm) PC Diffused Cover Max Power Dissipation 30 Watt/mt کے کے 1.77"(45mm) ALP066 PMMA Opal Matte Cover PMMA Semi-Clear Cover PC Diffused Cover 25 25 Max Power Dissipation 30 Watt/mt 1.77"(45mm)








ALP5090 1.97"(50mm) 1.59"(40.4mm) PC Frosted Cover Power Dissipation: 23 Watt/mt each side **ALP7595-UP** 2.95"(75mm) PC Frosted Cover Upper Side Power Dissipation: up to 40 Watt /mt* 2.11"(53.68mm) Bottom Side Power Dissipation: up to 80 Watt/mt* * Using Rigid LED Bar **ALP6875** 1.97"(50mm) PC Frosted Cover نسس 0.73" (18.5mm) Max Power Dissipation 25 Watt/mt 1.08" (27.4mm) ALP6875-D 1.97"(50mm) PC Frosted Cover يتسست Max Power Dissipation 25 Watt/mt 2.68"(68mm)



ALP9575-R





PC Frosted Cover

Max Power Dissipation 50 Watt/mt

ALP9575-RD






PC Frosted Cover

Max Power Dissipation 50 Watt/mt

ALP12575






PC Frosted Cover

Max Power Dissipation 50 Watt/mt

ALP12335






PC Frosted Cover



ALP059-R






PMMA Opal Matte Cover PMMA Semi-Clear Cover PC Diffused Cover

Power Dissipation: 25 Watt/mt each side

ALP8585







PMMA Opal Matte Cover PMMA Semi-Clear Cover PC Diffused Cover

Power Dissipation: 25 Watt/mt each side

ALP5075-C






PC Frosted Cover

Max Power Dissipation 25 Watt/mt

ALP6545-C






PC Frosted Cover

Power Dissipation: up to 80 Watt / mt using rigid led bar



ALP6090






PC Frosted Cover

Max Power Dissipation 25 Watt/mt

ALP60108






PC Frosted Cover

Max Power Dissipation 25 Watt/mt

ALP7575-RL






Lens: 30 or 60 Degrees, asymmetrical or symmetrical

Power Dissipation: up to 40 Watt/ mt using rigid led bar

ALP100-WR





PMMA Opal Matte Cover PMMA Semi-Clear Cover PC Diffused Cover








ALP109






PC Diffused Cover

Max Power Dissipation 25 Watt/mt

ALP104






PC Diffused Cover

Max Power Dissipation 25 Watt/mt

ALP106






PC Diffused Cover

Max Power Dissipation 25 Watt/mt


ALP105






PC Diffused Cover













ALP081 PC Diffused Cover Max Power Dissipation 25 Watt/mt **ALP083** PC Diffused Cover Max Power Dissipation 60 Watt/mt ALP068-R 2.09"(53mm) PC Diffused Cover Max Power Dissipation 15 Watt/mt ALP069-R PC Diffused Cover Max Power Dissipation 15 Watt/mt

















ALP3875-R






PC Frosted Cover

Max Power Dissipation 25 Watt/mt

ALP38115







PC Frosted Cover

Power Dissipation: 25 Watt/mt each side

ALP5075-R1






PC Frosted Cover

Max Power Dissipation 25 Watt/mt

ALP50120






PC Frosted Cover

Power Dissipation: 25 Watt/mt each side



ALP6380






PC Frosted Cover

Max Power Dissipation 25 Watt/mt

ALP63120






PC Frosted Cover

Power Dissipation: 25 Watt/mt each side

ALP7578






PC Frosted Cover

Max Power Dissipation 25 Watt/mt

ALP75120





PC Frosted Cover


Power Dissipation: 25 Watt/mt each side



ALP10078 THILLY PC Frosted Cover Max Power Dissipation 60 Watt/mt ALP100120 PC Frosted Cover 1.65"(42mm) 0.8"(20.3mm) Power Dissipation: 46 Watt/mt each side 2.75"(69.8mm) **ALP078** PC Semi-Clear Cover Max Power Dissipation 25 Watt/mt 2.05"(52.1mm) ALP12083 PC Frosted Cover Max Power Dissipation 25 Watt/mt



LS30 LED Linear Lighting System





Optional Light Inserts





LS50 Led Linear Lighting System





Optional Light Inserts

Reflector: 20°; 35° and 50°
PC Frosted Cover
Prismatic Cover
Blind Cover
Wall Washer
High Reflective Louver




ALP25C




PMMA Cover

Max Power Dissipation 25 Watt/mt



ALP7578







PMMA Cover

